

1 layer FPC 35 μ m (stiffener optional)

Layer	Description	Stack-up	Thickness	Type
	Cover layer		12,7 μ m	Polyimid
	Adhesive		12,7 μ m	Epoxy
Top Layer 1	Copper		35,0 μ m	Cu
	Adhesive		20,0 μ m	Epoxy
	Base Film		50,8 μ m	Polyimid
	Adhesive		25,4 μ m	Epoxy
	Stiffener		200,0 μ m	Polyimid
total thickness incl.			total thickness excl.	
stiffener:	0,357 mm		Stiffener:	0,131 mm
tolerance	10%		tolerance	10%
maximum thickness	0,392 mm		maximum thickness	0,144 mm
minimum thickness	0,321 mm		minimum thickness	0,118 mm